



**Technology for a successful  
Koi and fish pond!**



	Page
Pond filters	3-5
Pond pumps	6-9
Pond UVC	10-11
Air pumps	12-13
Protection	14
Koi accessories	15
Pond accessories	16



Make your pond hobby a success with SuperFish.  
For over 25 years we have grown and sold Koi and pond fish. Using this experience we have developed a comprehensive range of pond care products that offer excellent reliability, efficiency, quality and value.

**Our goal:**  
**To make your fish and Koi hobby successful and affordable.**





## The correct filter for a clean and healthy pond

Using the correct filter is essential for clean pond water and a healthy environment for its inhabitants. SuperFish FlowClear is a triple action, mechanical, biological and UV filter. Coarse dirt particles are effectively removed via the mechanical part of the filter whilst the biological part of the filter converts harmful substances into less harmful substances that can be consumed by plants as food. The UVC helps prevent the growth of floating green algae.



### SuperFish FlowClear 10000

The ideal filter for fish and Koi ponds up to approximately 10,000 litres.

- The filter media includes three sets of Matala, fully open structure filter mats, each with a different size mesh, providing outstanding filtration and optimum bacterial growth area. A cartridge filled with zeolite, a porous material that absorbs ammonia and other harmful substances, helps keep ponds healthy.
- The innovative filter structure means coarse dirt particles sink to the bottom where they are drained via a gate valve for easy cleaning.
- Built-in UVC with PHILIPS lamp combats the growth of floating green algae and clarifies the pond water within 14 days. PHILIPS guarantee an operating life of 8,000 hours for the lamp and we provide a 2 year warranty on the electrical components of the UV-C unit.
- Also available as a complete FlowClear Kit including a PondEco 5000 pond pump.

### FallClear 10000

Identical to the FlowClear but with a built-in decorative waterfall. This adds extra oxygen to the pond water.



### SuperFish FlowClear 20000

Biological 3-chamber filter, guarantees the quality of your water and ensures a good biological balance in your pond.

- Filters and disinfects your pond water at the same time, ensuring quick results and the optimal purification of the water.
- The UV-C radiation ensures that bacteria, germs and floating algae have no chance to develop, thereby guaranteeing the clarity of your pond water.



#### Technical specifications

Code	Model	Max pond content	Pump cap.	UVC	Inlet	Outlet	Size
E6030010	FlowClear 10000	10,000 L	5,000 L/h	11 Watt	25/32/40 mm	40 mm	55x36x45 cm
E6030013	FlowClear Kit 10000	10,000 L	4,800 L/h	11 Watt	25/32/40 mm	40 mm	55x36x45 cm
E6030065	FallClear 10000	10,000 L	5,000 L/h	11 Watt	25/32/40 mm	waterfall	55x36x45 cm
E6030085	FlowClear 20000	20,000 L	10,000 L/h	40 Watt	32 mm	63 mm	100x43x65 cm

# Pond filters

## SuperFish Poly Tech Move

### SuperFish Poly Tech Move

Polytech Move filters are specially designed for Koi and fish ponds and large water features.


A Polytech Move filter offers the advantages of a multiple chamber filter, that is a reliable technique and stability by a large biomass, combined with a so-called floating bed filter, which ensures an extremely good biological filtration.

SuperFish Polytech Move filter advantages:


- Excellent waste separation by the filter brushes in the first filter chamber.
- Stable biofilm, biological balance and water flow down to the use of Japanese matting.
- Excellent ventilation because of the aerated moving bed filter.
- Extremely good biological activity due to the large adhesion surface for bacteria of the "moving bed" medium.
- Easy to clean: just rinse brushes and Japanese mats, while the moving bed portion cleans itself.

### Extremely high biological action by Floating Bed Filtration

Floating Bed Filtration is developed in the aquaculture. It consists of knurled plastic rings which are floating in the water, with a very high adhesion surface. These are kept continuously in motion through the use of aeration. The aeration comes from the bottom, so the filter medium is churned up over and over again. Bacterial Cultures will develop very well and after approximately 2 months, the rings are brown coloured by the bacteria. The system is virtually maintenance free and the biological effect is extremely good.



Floating Bed filter media




Floating Bed filter chamber





Model Code	 <b>Move 20</b> 06040500	 <b>Move 30</b> 06040505	 <b>Move 60</b> 06040510	 <b>Move 100</b> 06040515	 <b>Move 200</b> 06040520
<b>Max. content</b>					
Natural pond	20.000 L	30.000 L	60.000 L	100.000 L	200.000 L
Combi-pond	15.000 L	22.500 L	45.000 L	75.000 L	150.000 L
Koi pond	10.000 L	17.500 L	30.000 L	50.000 L	100.000 L
Max. pump cap.	5.000 L/h	7.500 L/h	10.000 L/h	12.000 L/h	15.000 L/h
<b>Filter version</b>					
Pump fed	yes	yes	yes	yes	yes
*Gravity	no	no	yes*	yes*	yes*
Chambers	2	3	3	3	3
Size	80x65x65 cm	120x65x65 cm	150x80x75 cm	185x95x90 cm	225x108x100 cm
<b>Connections</b>					
Inlet	25/32/40 mm	25/32/40 mm	50/110 mm	50/110 mm	50/110 mm
Outlet	75 mm	75 mm	110/50 mm	110/50 mm	110/50 mm
Recommended air pump	Koi-Flow 20	Koi-Flow 20	Koi-Flow 30	Koi-Flow 30	Koi-Flow 60

\* The Move 60, 100 and 200 can also be used as a gravity-filter with the supplied coupling piece.



The floating bed filter chamber is on the outside provided with a Quick-Fit air hose connection so that a necessary air pump can be connected quickly and easily. We recommend the Superfish Koi-Flow (see page 13).



Demo

### The pump is the heart of the pond!

*An efficient and effective pump is just as important as a filter. The pond pump is there to ensure that contaminated water ends up in the filter. You should consider the following when choosing the correct pond pump:*

- The pump capacity should be 50% of the pond volume for optimal cleaning.
- Capacity losses due to hose length, UVC lamp and head.
- For thorough cleaning we recommend using a pump without a pre-filter so that dirt particles get into the filter instead of the pre-filter.
- To maximize the sucking of dirt the pump should be placed in the deepest part of the pond.
- For optimum circulation the pump and filter outlet should be placed as far apart as possible.
- If you want a fountain or water bubble buy a separate pump with a pre-filter. These small pumps are very affordable and the fountain doesn't have to spray all day.

### SuperFish Pond-Flow ECO


Energy saving, multi purpose pond pump suitable for use as a fountain or filter pump.

- Available in 3 sizes with different pump capacities (1,000 L/h, 2,000 L/h and 2,900 L/h).
- Includes 2 different spray heads: a fountain nozzle and a mushroom nozzle, which are easily adjustable in height.
- Supplied with 10 metre power cable.
- Energy efficient and economical to run.
- 2 year warranty and GS approval for quality and safety.



#### Technical specifications

Code	Model	Max pump cap.	H.max	Outlet	Power
E7060015	Pond-Flow ECO 1000	1,000 L/h	1.4 m	20/25/30 mm	12 Watt
E7060020	Pond-Flow ECO 2000	2,000 L/h	1.9 m	20/25/30 mm	25 Watt
E7060025	Pond-Flow ECO 3000	2,900 L/h	2.3 m	20/25/30 mm	45 Watt





Save up to 50% on purchase price and power costs compared to other pumps!



## SuperFish PondECO


Specially designed synchronous pump with high capacity and very low power consumption. Combined with an economical price, this makes the PondECO the perfect pond pump for all kinds of ponds. Quality at an affordable price!



- 3 year warranty and GS approval for quality and safety.
- Pumps large quantities of water with low electricity consumption.
- DCS ceramic drive and gear wheels for minimum wear.
- Vortex blades transport coarse dirt particles up to 8 mm.
- Rotating multi-step hose connection.
- Easy to install and virtually maintenance free.

### Technical specifications


Code	Model	Max pump cap.	H.max	Outlet	Power
E7070145	PondECO 3500	3,600 L/h	2.4 m	25/32/40 mm	45 Watt
E7070150	PondECO 5000	4,800 L/h	2.5 m	25/32/40 mm	60 Watt
E7070155	PondECO 8000	7,200 L/h	4.0 m	25/32/40 mm	80 Watt
E7070160	PondECO 12000	11,300 L/h	4.5 m	25/32/40 mm	155 Watt
E7070165	PondECO 15000	14,200 L/h	4.1 m	25/32/40 mm	175 Watt



### SuperFish Pump Clean

Pond pumps should be cleaned periodically to prolong service life and maintain the warranty. Pumps accumulate lime deposits whilst in the pond which can cause algae and dirt to adhere to the pump. Pump Clean is a natural acid that effectively dissolves lime deposits and cleans the pump.

[Code 07070500]





**3 year on-site 48-hour "Pick-up & Replacement" service!**  
If your pump breaks down it can be a major and costly problem. With SuperFish PondECO Plus there's no need to worry. If your pump breaks down we will deliver a new unit within 48 hours free of charge.\*

\*From Monday to Friday. No deliveries on Saturday and Sunday.



### SuperFish PondECO Plus

Ultra efficient professional filter pump for Koi and fish ponds.

Moves large volumes of water with minimum energy consumption (approx. 12 watts per 1.000 L/h).

A pond pump that truly deserves a "green label"!

- Easy to install.
- Two outlet options (top and side) with a rotating Multi-step hose connection.
- Vortex blades and DCS drive and gear.
- 3 year warranty and GS approval.

#### Technical specifications

Code	Model	Max pump cap.	H.max	Outlet	Power
E7070180	PondECO Plus 8000	7,150 L/h	2.5 m	25/32/40/50 mm	72 Watt
E7070185	PondECO Plus 12000	10,850 L/h	3.4 m	25/32/40/50 mm	135 Watt
E7070190	PondECO Plus 15000	14,800 L/h	4.5 m	25/32/40/50 mm	157 Watt
E7070195	PondECO Plus 20000	18,500 L/h	5.5 m	25/32/40/50 mm	220 Watt





## SuperFish HighFlow

Professional high flow water pump for large ponds and aquaculture. HighFlow can also be used in large Koi ponds and water features.

- Energy efficient - moves large volumes of water with minimum power consumption.
- DCS ceramic drive and gear wheels for minimum wear.
- Vortex blades transport coarse dirt particles up to 8 mm.
- 110 mm outlet for maximum flow.
- Easy to install and virtually maintenance free.
- 2 year warranty.



### Technical specifications

Code	Model	Max pump cap.	H.max	Outlet	Power
E7070550	HighFlow 20000	20,000 L/h	2,8 m	110 mm	158 Watt
E7070555	HighFlow 30000	30,000 L/h	4,0 m	110 mm	235 Watt
E7070560	HighFlow 50000	45,000 L/h	5,5 m	110 mm	398 Watt

## SuperFish Pond Skim

SuperFish Pond Skim floats in the pond and sucks dirt such as leaves, dust and algae from the water surface. Pond Skim is easy to clean thanks to an easily removable waste basket.

- Low power consumption.
- 2 year warranty.



### Technical specifications

Code	Model	Pump cap.	Pond size	Power
E7060050	Pond Skim 2000	2,000 L/h	25 m <sup>2</sup>	25 Watt
E7060060	Pond Skim 3000	3,000 L/h	40 m <sup>2</sup>	40 Watt
07060055	Pond Skim 2000/3000 Replacement sponge			



Demo



### For crystal clear water!

Even if the water in the pond has the perfect composition and has a good filter it can still suffer from algae growth.

There are several reasons for this:

- A new filter or a new pond needs time to come into balance. In the meantime, algae can grow.
- When starting up the pond in the spring, after a (too) thorough cleaning of the filter, and at high temperatures, the biological balance becomes disturbed and algae can thrive.
- If plants can't keep up with the production of nutrients by the fish and filter, which is often the case with Koi ponds, floating algae see their opportunity to grow and the pond becomes green and cloudy.

These floating algae are too small to be filtered out and a UVC should be installed. The pond pump feeds the pond water through the UVC unit where it flows past a special lamp. The UV-C radiation produced by this lamp kills harmful bacteria and germs and keeps algae growth under control.



### SuperFish Reflex UVC

SuperFish Reflex UVC, suitable for small to medium ponds.

- Philips PL-lamp, guaranteed for 8000 operating hours.
- Stainless steel interior.
- Multi-step hose connection.

1 2 3 4 5 6 7 8 9 10 11 12 13 14

*Clears your pond within a fortnight*



### SuperFish ALU Tech UVC

SuperFish ALU UVC, suitable for large ponds.

- T5 high output UVC lamp for optimum clarification.
- Guaranteed 8000 operating hours.
- Double head connection, enabling you to install the UV-C device any way you like.
- Aluminium housing reflects the UV-C radiation.

#### Technical specifications

Code	Model	Max pond content	Max pump cap.	In-/Outlet	Lamp	Power	Reflection
E6010055	Reflex UVC 7000 / 9 W	7,000 L	5,000 L/h	20/25/32 mm	Philips PL	9 Watt	Yes
E6010060	Reflex UVC 10000 / 11 W	10,000 L	7,500 L/h	20/25/32 mm	Philips PL	11 Watt	Yes
E6010120	ALU Tech UVC 40 W	40,000 L	20,000 L/h	25/32/40 mm	High Power T5	40 Watt	Alu
E6010125	ALU Tech UVC 75 W	75,000 L	20,000 L/h	25/32/40 mm	High Power T5	75 Watt	Alu





## SuperFish UVC Tech

Professional UVC suitable for large Koi ponds up to 75,000 litres.

- High output T5 UV-lamp, guaranteed for 8000 operating hours.
- Electrolytically polished stainless steel housing, preventing dirt attaching to it and ensuring the optimal reflection of UV-C.

## SuperFish UVC Master

The UVC Master combines all characteristics and benefits of the UVC Tech with a dosage pump for bacteria and a timer.

- Integrated computer controlled timer for effective use of the UV-C lamp and dosage pump.
- Full automatically and tailor made bacteria dosing.
- Easy to use and reducing energy consumption.



## Koi Pro UVC

Professional highest quality UVC-unit

- Durable stainless steel, electrolytically polished.
- High Output T5 UV-lamp.
- The electronic ballast ensures optimal light yield and increases the operating life of the lamp.
- Longer exposure to higher doses of UV-C through the length of the device.
- Both PVC connection and Multi-step hose connection.

## SuperFish UVC Clean


UVC units and quartz glass tube can be cleaned with SuperFish UVC Clean which has been specifically developed for this purpose. The UV lamp in the UVC unit should be replaced every year for optimum functioning.

[Code 06010100]



### Technical specifications

Code	Model	Max pond content	Max pump cap.	In-/Outlet	Lamp	Power	Reflection
E6010075	UV-C Tech 40W	40,000 L	20,000 L/h	25/32/40 mm	High Power T5	40 Watt	stainl. steel
E6010080	UV-C Tech 75W	75,000 L	20,000 L/h	25/32/40 mm	High Power T5	75 Watt	stainl. steel
E6010210	UVC Master 75000 T5 75W	75,000 L	20,000 L/h	25/32/40 mm	High Power T5	75 Watt	stainl. steel
E6010200	KoiPro RVS UVC T5 40W	40,000 L	20,000 L/h	50/63 mm	High Power T5	40 Watt	stainl. steel
E6010205	KoiPro RVS UVC T5 75W	75,000 L	20,000 L/h	50/63 mm	High Power T5	75 Watt	stainl. steel



# Air pumps

## SuperFish Air-Kit & Air-Box

### Oxygen, essential for a healthy pond

Oxygen is a vital element for all pond life. An air pump is an essential piece of equipment to keep oxygen levels at their optimum level for a healthy pond and fish.

During the warmer summer months the higher water temperature in the pond means there is less oxygen available, which can significantly affect fish health. Even if there are aquatic plants in the pond producing oxygen during the day, at night they also use a lot of oxygen and can therefore contribute to low oxygen levels. Oxygen levels can also be reduced due to blanket weed, algae blooms, lily pads and other surface plants. As well as competing for oxygen they also reduce the surface area at which gases can be exchanged. During the winter an air pump keeps an existing ice hole open. When there isn't enough oxygen in the filter it won't work efficiently. Placing an air-stone in the filter will help it to function properly. If the pump stops unexpectedly the bacteria in the filter will stay alive by aeration and movement of water. Which air pump to choose depends on the size of the pond.



#### SuperFish Air-Kit

Complete aeration kits for ponds.


- Supplied complete with air hose and 1 or 2 air stones (depending on the type).
- Spare membrane for long lasting use.
- The Air-Kit Mini is ideal as an additional air pump for the filter.



#### SuperFish Air-Box

Complete aeration kit supplied in a handy box for protection against rain and splashed water.

- Provides fresh oxygen in the water.
- Keeps ponds healthy in the summer and ice-free in the winter.
- Supplied complete with air hose and 1, 2 or 4 air stones (depending on the type).



#### Technical specifications

Art	Model	Air output	Pressure	Power
E7010309	Air-Kit mini	78 L/h	0.015 MPA	1,5 Watt
E7010310	Air-Kit 1	96 L/h	0.015 MPA	2 Watt
E7010315	Air-Kit 2	240 L/h	0.020 MPA	4 Watt
E7010325	Air-Box 1	96 L/h	0.015 MPA	2 Watt
E7010330	Air-Box 2	240 L/h	0.020 MPA	4 Watt
E7010335	Air-Box 4	600 L/h	0.012 MPA	10 Watt



## Extra oxygen

We have specifically developed a range of air pumps for use in Koi and large ponds. These heavy duty pumps have a high air flow performance and long life. If required wearing parts can be replaced.

### SuperFish Koi-Flow

Pond air pump for Koi and large ponds.

- High air output using minimum power consumption.
- Low noise and long life.
- Supplied with 6 air stones and a 50 metre air hose.
- Includes spare membranes.
- 2 year warranty.



### SuperFish AirBlow

Professional pond air pump, specially developed for high air output even at depths up to 3 metres. Suitable for Koi and large ponds as well as breeding, sale and quarantine systems, where many outflow points are required.

- High air output.
- High air pressure.
- Suitable for many air outflow points.
- Includes spare membranes.
- 2 year warranty.



### SuperFish Air Stones

Two types of SuperFish air stones are available:

1. Blue air stones – available in a range of different shapes and sizes and suitable for all types of use. Air stones gradually become clogged over time due to dirt, etc and should be replaced every year.
2. Grey Hi-Oxygen air stones – specially treated at very high temperatures these long lasting stones produce very fine air bubbles.

#### Technical specifications

Art	Model	Air output	Pressure	Power
E7010430	Koi-Flow 20	1,200 L/h	0.025 MPA	15 Watt
E7010435	Koi-Flow 30	1,800 L/h	0.025 MPA	25 Watt
E7010440	Koi-Flow 60	3,600 L/h	0.025 MPA	35 Watt
E7020300	Air-Blow 50	3,000 L/h	0.045 MPA	30 Watt
E7020305	Air-Blow 100	6,000 L/h	0.040 MPA	88 Watt


# Protect your fish

## SuperFish Bird & Cat Scare

Motion activated sprinkler which detects heat and movement from unwanted visitors such as herons, cats and other intruders. Effective and humane way to protect fish and ponds.

Simply connect the Bird & Cat Scare to a hose, and whenever it senses an intruder the sprinkler will be activated, driving the intruder away with a powerful spray of water. The Bird & Cat Scare has adjustable range and sensitivity and is suitable for both large and small ponds.

[Code E6090150]



## Pond Defence

Electric pond fence wire (100 or 500 m) to protect fish against herons and cats. Sufficient to protect 50 or 250 metres of pond perimeter with a double electric fence wire.

- Easy to install.
- Additional pegs (10 pieces) available.

[Code E6070001 Pond Defence 100 M]

[Code E6070003 Pond Defence 500 M]

## SuperFish Pond cover net

As well as preventing leaves and any other debris from blowing into the pond and causing water quality problems a pond cover net provides protection from predators such as herons and cats. Place the pond cover net over the pond in good time to prevent debris getting into the pond.

- Includes ground pins.
- Easy to place.
- Fine, flexible mesh.
- Long lasting, strong synthetic fibre.

[Code 06090699 3x2 m]

[Code 06090700 4x3 m]

[Code 06090705 4x4 m]

[Code 06090710 5x4 m]

[Code 06090715 6x4 m]

[Code 06090718 10x6 m]



## SuperFish Pond Alarm

Effectively deters herons, cats, other animals and thieves preying on valuable fish.

Unwanted visitors will be driven away by the Pond Alarm's powerful signal when approaching the pond.

[Code E6070010]





## Automatic feeders

Feeding pond fish with an automatic feeder has many advantages including getting the most out of the fish by always providing the correct amount of food. This ensures optimal growth and a prettier colour pattern, for example in Koi. Feeding a smaller quantity of food on a regular basis has a beneficial effect on the health of the fish and pond.

## Koi nets

Aluminium Koi nets are strong light-weight and non-rusting.

The round koi nets are specifically intended for koi, and the edge of the net is fitted in the hoop to prevent wear. The handles and nets are sold separately so you can use different nets with the same handle.

[Code 09050224 Net round Ø 60 cm]

[Code 09050234 Net round Ø 70 cm]

[Code 09050239 Net round Ø 80 cm]

[Code 09050224 Net square 58x38 cm]

[Code 09050494 Handle 200 cm]

[Code 09050496 Handle 250 cm]

[Code 09050497 Handle 300 cm]



### SuperFish Koi feeder

Automatic feeder that can be placed on the edge of the pond or quarantine tank. The unique brush dispenser mechanism will shoot the food into the pond.

- 1 to 4 feedings per day.
- Amount of food is adjustable from 50 to 1400 gram per day.
- Battery operated.
- Use with pellet foods.
- Food capacity up to 10 litres.

[Code E6090195]



### Professional feeder

With the Professional Feeder Koi can automatically be fed several times per day.

- Automatic feeding between 1 and 24 times a day.
- Quantity of food can be set per dosing.
- Use with pellet foods (size 2-9 mm).
- Mounting bracket included.
- 10 metre power cable.
- Food capacity up to 7 litres.

[Code E6090199]

## Koi bowls

Handy bowls in various sizes for temporarily holding, showing, treating, or transporting fish.

[Code 09060008 Bowl Ø 50 cm]

[Code 09060011 Bowl Ø 67 cm]

[Code 09060012 Bowl Ø 80 cm]

## Spawning Brushes

Would you like to breed your own koi? All you need is a male and at least two female koi, plus a roomy pond. Put the spawning brush in the pond, just below the water surface, and then let nature take its course. The specially designed soft brushes stimulate weed in ponds, encouraging fish to spawn. The breeding season of koi is from April to June.

[Code 08060660]



# Take care of your fish all year round!

*SuperFish has several accessories that make maintaining and taking care of your fish and pond easy. These tools help you to enjoy your pond all year round.*

## SuperFish Anti Ice Device

**Prevent ponds completely freezing over with the ice-free set with built in aeration.**

Installing the anti ice device before the freezing weather starts will ensure that a hole is kept in the water surface, allowing fresh oxygen to enter the water and harmful gases to escape.

[Code E6090545]



## SuperFish Pond Vac

**Compact, lightweight pond vacuum cleaner. A fast and efficient way to clean the pond and dispose of waste.**

- 80 Watt pump power.
- 4,000 L/h pump capacity.
- Stem length 1,8 metres.
- 5 metres hose, ø 32 mm.
- 2 suction mouths.

[Code E6090100]



## KoiPro Heater

**Professional Heater complete with thermostat, for heating pond water or fish systems. Made from stainless steel and practically indestructible when properly installed.**

To keep your pond healthy during the winter, we recommend maintaining a water temperature of at least 8 °C. This prevents the pond from freezing over and allows your fish to still receive a bit of food during their winter rest. In addition, the filter can continue operating through the winter if it is suitably insulated.

[Code E6070100 Koi Pro Pond Heater 1 kW]

[Code E6070105 Koi Pro Pond Heater 2 kW]

[Code E6070110 Koi Pro Pond Heater 3 kW]



## SuperFish Pond Thermometer

**It is essential to monitor the temperature of the pond water as this affects how often and how much food fish should be fed. The SuperFish Pond Thermometer allows you to check the water temperature easily and accurately.**

[Code 06090005 Pond Thermometer]

[Code 6090015 Solar Pond Thermometer]

*This is a publication of:*



**AQUADISTRI**

## Contact us...

**For more information about Superfish Pond Products please call**

**Customer Services: 01767-677075**

**Email: [sales@aquadistri.com](mailto:sales@aquadistri.com) or speak to your Account Manager**

**Aquadistri UK Ltd**

Highbury Fields, Eltisley Road Great Gransden,  
Sandy, Cambridgeshire, SG19 3AR

**[www.aquadistri.com](http://www.aquadistri.com)**

No part of this publication may be reproduced, stored or published in any form, be it electronic, mechanical, photocopying or any other way, without prior written permission of the publisher. Despite all the care given to the text, the publisher does not accept liability for any damage that may result from any error that could be printed in this leaflet. We are not responsible for any typographical errors.